Visualization and accessibility: The state of the art, 2025



Frank Elavsky, PhD Candidate



Visualization and accessibility: The state of the art, 2025







2024: SotA in tech + innovation

2025: SotA in techniques, too!


2025: SotA in techniques, too!



(Many of these are based on my professional experience!)

Identifying access barriers

Chartability to evaluate accessibility



F. Elavsky, C. Bennett, and D. Moritz, "How accessible is my visualization? Evaluating visualization accessibility with *Chartability*," Computer Graphics Forum, 2022.

Bokeh's ~200 page open source, open access, accessibility audit Elavsky et al "Bokeh accessibility audit," 2025.

Bokeh Accessibility Audit

Plot tools Plotting interface Annotations



[Date of latest draft: February 2025]



Introduction

Previously, no large-scale audits or evaluations of the accessibility of a data visualization library have been made publicly available.

Thanks to <u>CZI Essential Open Source Software (EOSS)</u> Cycle 6 grant "Accessible interactive data visualizations in Python with Bokeh," we have have conducted a thorough, ecosystem-wide audit of the accessibility capabilities of the Python data visualization library, <u>Bokeh</u>.


We present our audit's <u>Findings</u> and <u>Suggestions</u> in this summary document. There are a total of 76 documents that contain evidence of different accessibility barriers in Bokeh's ecosystem.

Findings: To make sense of this volume of information, the first section of this summary (<u>Findings</u>) focuses on providing an overview of problems and themes present in all of the evidence we gathered from Bokeh's <u>plotting interface</u> (+30 tests with evidence of failure), <u>plot tools</u> (+20), and <u>annotations</u> (+26) artifacts.

Themes: The subsections of <u>Findings</u> below each represent higher level themes that emerged across the evidence we have gathered. Each theme's subsection contains an explanation of that theme, evidence of that theme (with links), and an example demonstration of what an accessibility barrier related to that theme looks like.

Evidence citations: Each of the evidence documents are cited using a prefix, A-, PI-, or PT- referring each to the abbreviations for "Annotations," "Plotting Interface," and "Plot Tools." We conducted full, systematic audits for each of these subsystems within Bokeh's ecosystem, as they are each responsible for different aspects of Bokeh's capabilities. A given evidence document then also has a suffix, which is the number corresponding to the listed number of failures within that subsystem. So in our audit of Bokeh's annotations subsystem, evidence "A-2" would correspond to the second test type that contained an error.

Evidence documents: Each citation to evidence links to a document of that evidence. Each evidence document contains



Dev Support


Automatic accessibility validation

```
bar-chart-1 has strong accessibility recommendations
                                                                                      bar-chart.entry.js:49478
                                                                                      bar-chart.entry.js:49497
bar-chart-2 has accessibility warnings and other messages
                                                                                      bar-chart.entry.js:49499
  longDescription: Either accessibility.longDescription or accessibility.contextExplanation is
 required
                                                                                      bar-chart.entrv.is:49499
  executiveSummary: Either accessibility.purpose or accessibility.executiveSummary is required
                                                                                      bar-chart.entry.js:49499
△ ▶
  elementsAreInterface: elementsAreInterface must be a `boolean` type, but the final value was:
 `null`.
  If "null" is intended as an empty value be sure to mark the schema as `.nullable()`
                                                                                      bar-chart.entry.js:49481
  longDescription: Either accessibility.longDescription or accessibility.contextExplanation
 should have minimum 40 characters and a combined length between 40 and 500 characters
                                                                                      bar-chart.entry.js:49481
  executiveSummary: Either accessibility.purpose or accessibility.executiveSummary should have
 minimum 40 characters and a combined length between 40 and 250 characters
                                                                                      bar-chart.entrv.is:49481
  statisticalNotes: accessibility.statisticalNotes should have length between 40 and 250
 characters
                                                                                      bar-chart.entry.js:49481
  structureNotes: accessibility.structureNotes should have length between 40 and 250 characters
```

Text Treatment


Label collision detection


Source: Moritz et al?, Vega-label (2018-2020)



Label collision detection

Source: Moritz et al?, Vega-label (2018-2020)





Color and Contrast

Understanding contrast

Based on web standards and simple, deterministic algorithms

Colorblindness Disproportionately Overrepresented in A11y Resources

Colorblindness: % of People

4%

Low Vision: % of People

25%

Colorblindness: # of Resources

Low Vision: # of Resources

Colorblindness Disproportionately Overrepresented in A11y Resources

Colorblindness: % of People

4%


Low Vision: % of People

Colorblindness: # of Resources

51


Low Vision: # of Resources

Automatic contrast adjustment



Automatic contrast adjustment

Source: Visa Chart Components, Frank Elavsky (2017-2019)




Input color: nearly white, but slightly more blue



Automatic contrast adjustment

Source: Visa Chart Components, Frank Elavsky (2017-2019)




Input color: nearly white, but slightly more blue





Border added via HSL transform (retain H, but darken L until passing)


Automatic text color




Automatic text outlines









































Textures, patterns, and fills: categorical





Textures, patterns, and fills: categorical




Textures, patterns, and fills: categorical








Textures, patterns, and fills: numerical?




Textures, patterns, and fills: numerical?




Textures, patterns, and fills: numerical?

Source: Visa Chart Components, Frank Elavsky (2017-2019)


(Probably not useful, but was a fun experiment)




Selecting colors for CVD and contrast Source: Chroma.js by Gregor Aisch, circa 2011-2013ish?




Selecting colors for CVD and contrastSource: Chroma.js by Gregor Aisch, circa 2011-2013ish?






Selecting colors for CVD


Source: Susie Lu + Elijah Meeks, circa 2017ish?



Selecting colors for semantic distinguishability


Source: Susie Lu + Elijah Meeks, circa 2017ish?







Selecting textures for semantic distinguishability

Source: Visa Chart Components, Frank Elavsky (2017-2019)








Selecting colors for JND

Source: Susie Lu + Elijah Meeks, circa 2017ish?



conflicts for

categorical palettes

What is JND? (+ why does this matter for visualization accessibility in 2025?)

Source: Connor Gramazio, circa 2016ish?



What is JND? (+ why does this matter for visualization accessibility in 2025?)

Source: Connor Gramazio, circa 2016ish?



What is JND? (+ why does this matter for visualization accessibility in 2025?)


Source: Connor Gramazio, circa 2016ish?



Describing things

Chart descriptions with multi-layered semantics

Lundgard et al's Semantic Levels (2021)




A multi-line chart entitled "Lower and Delay the Epidemic Peak" that plots the Number of Cases by the Time Since First Case. The Number of Cases is plotted on the vertical y-axis. The Time Since First Case is plotted on the horizontal x-axis. The chart shows two possible extremes of the rate of rise and decline of COVID-19 cases. If the transmission is uncontrolled, there are more simultaneous cases. If the transmission is controlled, there are fewer simultaneous cases. If the transmission is controlled, the healthcare system can support all the cases.

The purpose of the chart is not to provide exact numbers, but to communicate to the public that there are multiple ways the current crisis can play out.

Without control measures the spread of the disease increases exponentially, making it harder to slow down and creating a big overload in the healthcare system. The number of cases is dramatically higher without controls, and this will likely lead to many deaths. In contrast, when controlled, the healthcare system capacity can handle all of the cases over a longer period of time, and this will save lives.







Exoplanet WASP-96 b (NIRISS Transmission Spectrum)

Extended Description

Graphic titled "Hot Gas Giant Exoplanet WASP-96 b Atmosphere Composition, NIRISS Single-Object Slitless Spectroscopy."

The graphic shows a transmission spectrum in the form of a graph of the Amount of Light Blocked by the planet's atmosphere in parts per million on the vertical *y*-axis versus Wavelength of Light in microns on the horizontal *x*-axis.

Graph

Axes

The y-axis ranges from 13,500 parts per million (less light blocked) at the bottom to 14,800 parts per million (more light blocked) at the top, with labeled tick marks are labeled every 200 parts per million, starting at 13,600.

The x-axis ranges from 0.6 microns on the left to 2.8 microns on the right, with labeled tick marks every 0.25 microns, starting at 0.75 microns.

Key

The graph includes a key showing that the solid white circles centered on gray vertical lines represent data points, and a blue solid line represents a best-fit model.

Data and Model


The graph consists of 141 data points, each with a gray error bar. The points range in value from 13,589 to 14,883 parts per million. The data points are not connected. They follow a jagged trend from left to right, with a number of broad peaks and valleys. The lengths of the error bars vary from a minimum of plus or minus 43 to a maximum of plus or minus 314. The error bars are smallest between about 1 and 1.3 microns, generally increasing in length toward the left from 1 to 0.6 microns, and toward the right from about 1.3 to 2.8 microns.

A solid blue line with several prominent peaks and valleys represents the best-fit model. The model begins at the far left with a very slight downward slope toward the right with a small peak around 0.95 microns, and another peak at about 1.15 microns. The line then becomes more sinuous, forming a taller, broader peak centered at about 1.4 microns and a slightly shorter broad peak at 1.9 microns. Starting around 2.15 microns, the line trends back upward with a wavy slope of about 30 degrees.


The blue best-fit model line generally follows the trend of the data. It intersects some data points, but does not match the data perfectly. The match between the model and data is clearest between about 0.9 and 1.65 microns.

"Structural" and "spatial" navigation


Zong et al's Rich Screen Reader Experiences (2022)



2015: "beyond the table" (highcharts)




2015 (highcharts)



Alt text should communicate operability

Source: Visa Chart Components, Frank Elavsky (2017-2019)




X Building A. Product Category 2.
Count 15. Bar 2 of 3. Image.

Semantics matter

Source: Visa Chart Components, Frank Elavsky (2017-2019)






Building A. Product Category 2.
 Count 15. Bar 2 of 3. Image.


"Image" doesn't signal interactivity!

ARIA semantics are standardized

Source: Visa Chart Components, Frank Elavsky (2017-2019)



2015 (highcharts)




2015 (highcharts)




Highcharts.com

2015 (highcharts)





2015 (highcharts)



Data Navigator: Empowering practitioners


Bokeh, a python visualization library, and React Spectrum Charts, Adobe's visualization design system





I have yet to see conversational visualizations in the wild, but the research is there!

VoxLens, VizAbility, "Blind question answering," etc



Question: When the difference between the Apple and Google

stocks was the highest?

Answer: 2008


Figure 1: An example of a natural language question about a line chart that shows stock prices of some tech companies over time.

Counterpoint: navigating animations

Sivaraman's Counterpoint (2024)


Example: Accessible Gapminder Chart


Below is a responsive, screen-reader-navigable version of the chart shown on the homepage. Press Navigate to enter keyboard navigation. Or, change your "prefers reduced motion" system setting to see fade animations instead of motion.



Opt-out of visualization scrollytelling

Amaka, Thomas, + Elavsky (2021)







Non-visual, non-text modalities

Sonification at scale


Highcharts (2018ish), Apple (WWDC 2021)





Sonification for any web visualization library

Kim et al's Erie (2024)



Embossing visualizations on paper

Still one of the best technologies out there!



Refreshable tactile displays

Great work by Holloway, also: Reinders, Butler, Marriott, and crew



20,000 USD??!

Refreshable tactile displays


Great work by Holloway, also: Reinders, Butler, Marriot, and crew



Micro-tactiles (MAIDR, SparkBraille, etc)



Micro-tactiles (MAIDR, SparkBraille, etc)




Micro-tactiles (MAIDR, SparkBraille, etc)





DIY, refreshable, low-cost pin displays


Smiley et al, "MagnePins" (2025)



~250 USD!!

DIY, refreshable, low-cost pin displays


Smiley et al, "MagnePins" (2025)





Personalization

Adjusting to system settings: font size, dark mode, motion reduction

Source: Highcharts, 2016ish?, Visa Chart Components (2017-2019), Counterpoint (2024)









Enabling user profiles

Source: Highcharts 2025+, Elavsky et al, Softerware, 2025





Visualization and accessibility: The state of the art, 2025



Frank Elavsky, PhD Candidate

